

WELDON® Paints

ALWAYS GOOD & RELIABLE



Semi Plastic Emulsion

For Interior Walls & Ceilings



Acrylic Based

- Long lasting, fungus and alkali resistant
- Good application and good coverage with high opacity
- Does not contain lead or mercury



WELDON® Paints

ALWAYS GOOD & RELIABLE



Off White (New) 601



Sandstone 606



Summer Pink 621



Spice 610



Tile Red 628



Off White 602



Cameo 639



Purple Dawn 627



Terracotta 630



Moods 641



Badami 649



Mushroom 607



Puff 638



Tea Rose 642



Violet 613



Kitten White 645




Patina Light 608




Rose White 625




Dark Desert 640



Moon Flower 626




Cream 603



Cockle Shell 605



Soft Beige 647



Ash White 616



Classy Finish



Semi Plastic Emulsion



Sea Blue 623



Steel Grey 620



Leaf Green 614



Ocean Blue 644



Goose Wing 619



Apple Green 612



Torres Blue 622



Grey Blue 618




Crystal Green 631



Charisma 611



Whisper 617



Fresh Green 643



New Ash White 648



Lavender White 615



Moon Star 651



Elegance 650

**SPECIAL
SHADE
SPECIAL
PRICE**



Grapes 635




Fresh Orange 636



Rose Pink 633



Purple 634



Azure Blue 637

**FRENCH
SHADES**



Beige White 604



Hopsack 624



Woven Leaf 632



Cherry Pink 609



Dream Mauve 629

Also available in Black, White

WELDON® Paints

Semi Plastic Emulsion For Interior Walls & Ceilings

Weldon Semi Plastic Emulsion offers a timelessly chic matt finish, guaranteed to transform your wall into a desirable canvas of perfection. Available in a palette of rich colors, this acrylic based coating provides exemplary coverage, easy to clean and an extra smooth feel to all interior masonry surfaces.



SUPERB WASHABILITY:
Common stains, marks and scuffs can be easily wiped away.



OUTSTANDING HIDING:
Un-match opacity which means fewer coats and better value for money.



ANTI-FUNGAL SHIELD:
High performance additive that protect your walls against fungal growth



EXEMPLARY COVERAGE:
Un-matched spreading rate allows you to cover greater area per pack.

RECOMMENDED AREAS

Excellent for high traffic interior area such as bedroom, hallways living rooms and dining rooms.

PRODUCT INFORMATION

Drying Time: 2-4 hours depending upon temperature and humidity

Coverage: 15-17m/Lit/coat

Thinner: Water

Thinning: Roller: 20-30%, Brush: 70-80%, Spray: 40-50%

No. of Coats: 2 or more

Cleaning: Clean all equipment with water

Shelf Life: 2 years

Application Temperature: 10C-40C

Relative Humidity: Do not apply paint above 85% RH

Relative Humidity: Max 80%

HOW TO APPLY



ROLLER:

This product can be applied quickly with the help of a paint roller.




BRUSH:

This product can be applied quickly with the help of a paint brush



SPRAY:

Paint sprayers can be use to ensure an optimal finish and coverage.



Manufactured by:

Weldon Paint Industries (Pvt) Ltd.

Lahore : 042-37415090, 37411826, 37411832, 37465656

Email: weldonpaint@hotmail.com