



WELDON[®]

PAINTS

Silk Touch Emulsion

Acrylic Based

for Interior Walls & Ceilings

- *Long Lasting*
- *Excellent Brushability*
- *Good Application*
- *Good Coverage*
- *High Opacity*
- *Lead Free*



Anti Fungal



Anti Algae



Anti Mildew






WELDON®

PAINTS



Off White 10 ★



Ash White 19 ★



Brown Tint 44 ★




Orchid White 46 ★



Rose White 97



New Off White 4026 ★



Almond 42 ★



Tea Rose 23



Cockleshell 78 ★



Pink 5 ★



Kitten White 43 ★



Autumn Stone 40 ★



Spice 6




Sandstone 71 ★




Puff 110



Purple Dawn 106 ★



Lemon 93



Badami 47 ★



Peanut Butter 84



Blossom Pink 21 ★




Cream 8 ★



Cameo 88 ★



Weldon Ash White 519 ★



Soft Beige 41 ★



Dark Pink 111



Texas Cream 83 ★




Dark Desert 113 ★



Soft White 01 ★



Terracotta 89



Tile Red 70 ★



Special Shades Special Price



Opal Lilac 95 ★



Stardust 75



Lime Fresh 26



Barbie Pink 105



Violet 92



Classical 112 ★



Sea Blue 22 ★




Crystal Green 30



Orange 94



Jade 90




Moods 74



Torres Blue 109



Emerald 27




Lime Grapes 79




Deep Blue 91




Grey Blue 18 ★



Blue Heaven 25



Apple Green 28 ★




Light Orange (new) 58



Bringal 96



Levender White 76 ★



Whisper 20 ★



Jonquil 72



New Tile Red 4006



Toasted Almond 45 ★



Bright Pink (New) 49



Steel Grey 34



Spring Leaf 36



Apple White (New) 50 ★



French Grey (New) 48 ★

Also available in Black, White



WELDON[®] PAINTS

Silk Touch Emulsion for Interior Walls & Ceilings

Weldon Silk Touch Emulsion offers a timelessly chic matt finish guaranteed to transform your wall into a desirable canvas of perfection. Available in a palette of rich colors, this acrylic based coating provides exemplary coverage, easy to clean and an extra smooth feel to all interior masonry surfaces.



Superb Washability:
Common stains, marks & scuffs can be easily wiped away.



Outstanding Hiding:
Un-match opacity which means fewer coats and better value for money.



Anti Fungal Shield:
High performance additive that protect your walls against fungal growth



Exemplary Coverage:
Un-matched spreading rate allows you to cover greater area per pack.

Product Information:

Drying Time: 2-4 hours depending upon temperature and humidity

Coverage: 15-17m²/Lit/coat

Thinner: Water

Thinning: Roller: 20-30%, Brush: 70-80%, Spray: 40-50%
numbers of coats 2 or more

Cleaning: Clean all equipment with water.

Shelf Life: 2 years

Application Temperature: 10C-40C

Relative Humidity: Do not apply paint above 85% RH

Relative Humidity: Max 80%

Recommended Areas:

Excellent for hightraffic interior areas such as bedroom, hallways living rooms and dining rooms.

How to apply:



Roller:

This product can be applied quickly with the help of a paint roller.



Brush:

This product can be applied quickly with the help of a paint brush.



Spray:

Paint sprays can be use to ensure an optimal finish and coverage.



Weldon Paint Industries (Pvt) Ltd.

Lahore: 042-37415090, 37411826, 37411832, 37465656

www.weldonpaints.com