

PAINTS



Super Gloss Enamel

for wood and metal

- High Shine Retention
- Luxurious Smooth Finish
- Better Flow
- High Durability
- Non Yellowing







Anti Fungal

Anti Algae

Anti Mildew



WELDON

PAINTS

R





METALLIC COLOURS



Antique Grey 211

Orange 265





Also available in Black, White

Dark Grey (New) 223





PAINTS

Super Gloss Enamel

for wood and metal

Weldon Super Gloss Enamel provides an oil-based durable armor, suitable for use on all types of interior and exterior masonry, wood and metal surfaces. Formulated in brilliant gloss finish with highly washable properties that allow you to easily wipe off the most common household stains It's superior flow and leveling ensures a uniform finish



Superior Stain Resistance:
Hard wearing finish blocks
stains from damaging
surface.



Exceptional Washability: Common stains, marks and scuffs can be easily wiped away.



Enhanced Durability:
Tough filmfor long lasting
protection of your painted
surface.



Ecellent Hiding:
High opacity, which means
fewer coats and better value
for money.

Product Information:

Drying Time: 5-6 hours depending upon temperature

and humidity

Coverage: 12-14m²/Lit/coat **Thinner:** Mineral Turpentine

Thinning: Roller: 10-12%, Brush: 15-20%, Spray: 30-40%

numbers of coats 2 or more

Cleaning: Clean all equipment with mineral turpentine. **Shelf Life:** 2 years (away from direct sunlight below 30°C)

Application Temperature: 15C-40C

Relative Humidity: Do not apply paint above 85% RH

Relative Humidity: Max 85%

Recommended Areas:

Ideal for heavy traffic interior and exterior masonry wood & inetal surface including walls, windows, architrave, grills & gates.

How to apply:



Roller:

This product can be applied quickly with the help of a paint roller.



Brush:

This product can be applied quickly with the help of a paint brush.



Spray:

Paint sprays can be use to ensure an optimal finish and coverage.









Weldon Paint Industries (Pvt) Ltd.

Lahore: 042-37415090, 37411826, 37411832, 37465656

www.weldonpaints.com

